

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
456.3625	do	41	457.21875	do	28, 38
456.375	do	18	457.225	do	28
456.38125	do	18, 38	457.23125	do	28, 38
456.38750	do	18, 36	457.23750	do	28, 36
456.39375	do	18, 38	457.24375	do	28, 38
456.4125	do	41	457.250	do	28
456.425	do	18	457.25625	do	28, 38
456.43125	do	18, 38	457.26250	do	28, 36
456.43750	do	18, 36	457.26875	do	28, 38
456.44375	do	18, 38	457.275	do	28
456.4625	do	41	457.28125	do	28, 38
456.475	do	18	457.28750	do	28, 36
456.48125	do	18, 38	457.29375	do	28, 38
456.48750	do	18, 36	457.350	do	28
456.49375	do	18, 38	457.35625	do	28, 38
456.5125	do	41	457.36250	do	28, 36
456.525	do	18	457.36875	do	28, 38
456.53125	do	18, 38	457.400	do	28
456.53750	do	18, 36	457.40625	do	28, 38
456.54375	do	18, 38	457.41250	do	28, 36
456.550	do	2	457.41875	do	28, 38
456.55625	do	2, 38	457.450	do	28
456.56250	do	2, 36	457.45625	do	28, 38
456.56875	do	2, 38	457.46250	do	28, 36
456.575	do	18	457.46875	do	28, 38
456.58125	do	18, 38	462.4625	do	41
456.58750	do	18, 36	462.475	Base or mobile	18
456.59375	do	18, 38	462.48125	do	18, 38
456.600	do	2	462.48750	do	18, 36
456.60625	do	2, 38	462.49375	do	18, 38
456.61250	do	2, 36	462.5125	do	41
456.61875	do	2, 38	462.525	Base or mobile	18
456.625	do	18	462.53125	do	18, 38
456.63125	do	18, 38	467.4625	Mobile	41
456.63750	do	18, 36	467.475	do	18
456.64375	do	18, 38	467.48125	do	18, 38
456.650	do	2	467.48750	do	18, 36
456.65625	do	2, 38	467.49375	do	18, 38
456.66250	do	2, 36	467.5125	do	41
456.66875	do	2, 38	467.525	do	18
456.675	do	18	467.53125	do	18, 38
456.68125	do	18, 38	470-512	Base or mobile	19
456.68750	do	18, 36	806-821	Mobile only	20
456.69375	do	18, 38	851-866	Base or mobile	20
456.700	do	2	896-901	Mobile	20
456.70625	do	2, 38	928 and above	Operational-fixed	21
456.71250	do	2, 36	929-930	Base only	35
456.71875	do	2, 38	935-940	Base or mobile	20
456.7375	do	41	1427-1435	Operational fixed, base or mobile	16
456.750	do	2	2450-2500	Base or mobile	22
456.75625	do	2, 38	8400-8500	do	23
456.76250	do	2, 36	10.550-10.680*	do	
456.76875	do	2, 38			
457.100	do	28			
457.10625	do	28, 38			
457.11250	do	28, 36			
457.11875	do	28, 38			
457.200	do	28			
457.20625	do	28, 38			
457.21250	do	28, 36			

*The frequencies in the band 10.55-10.68 GHz are available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this Subpart but current licenses will be renewed.

(c) * * *

(36) This frequency is not available in the 150-170 MHz band until August 16, 1996. This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

* * * * *

(38) This frequency is not available until August 16, 1996. After August 16, 1996 this frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(39) Assignment of frequencies in this band are subject to the provisions of § 90.173

(40) This frequency will be authorized a channel bandwidth of 25 kHz.

(41) This frequency is available for systems first licensed prior to August 16, 1995. No new systems will be authorized after August 16, 1995, but prior authorized systems may be modified, expanded, and renewed.

* * * * *

(e) * * *

(3) Frequencies in the 25-50 MHz, 150-170 MHz, 450-512 MHz and 902-928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M, notwithstanding this limitation.

* * * * *

12. Section 90.69 is amended by replacing the table of frequencies in paragraph (b), replacing limitation (12), and adding limitations (14) and (15) in paragraph (c), and replacing paragraph (e)(3) to read as follows:

§ 90.69 Film and Video Production Radio Service.

* * * * *

(b) * * *

Film and Video Production Radio Service Frequency Table

Frequency or band	Class of station(s)	Limitations
Kilohertz:		
1628	Base or mobile	1
1652	do	1
2292	do	1
2398	do	1
4637.5	do	1
Megahertz:		
72 to 76	Operational fixed	2
150 to 170	Base or mobile	15
152.8625	do	3, 14
152.87	do	3
152.8775	do	3, 12
152.90	do	3
152.9075	do	3, 12
152.93	do	3
152.9375	do	3, 12
152.96	do	3
152.9675	do	3, 12
152.99	do	3
152.9975	do	3, 12
153.02	do	3
153.0275	do	3, 12
169-172	Mobile	11
173.225	Base or mobile	4
173.275	do	4
173.325	do	4
173.375	do	4
220-222	Base and mobile	13
806 to 821	Mobile	5
851 to 866	Base or mobile	5
896 to 901	Mobile	5
928 and above	Operational-fixed	6
929-930	Base only	10
935 to 940	Base or mobil	5
1427 to 1435	Base, mobile or operational fixed	7
2450 to 2500	Base or mobile	8
8400 to 8500	do	9
10,550 to 10,680*	do	

*The frequencies in the band 10.55-10.68 GHz are available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this subpart but current licenses will be renewed.

(c) * * *

(12) This frequency is not available in the 150-170 MHz band until August 16, 1996. This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

* * * * *

(14) This frequency is not available until August 16, 1996. After August 16, 1996 this frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(15) Assignment of frequencies in this band are subject to the provisions of § 90.173

* * * * *

(e) * * *

(3) Frequencies in the 25-50 MHz, 150-170 MHz, 450-512 MHz and 902-928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M, notwithstanding this limitation.

* * * * *

13. Section 90.71 is amended by replacing the table of frequencies in paragraph (b) and adding limitations (12), (13), (14), and (15) in paragraph (c), and replacing paragraph (e)(3) to read as follows:

§ 90.71 Relay Press Radio Service.

* * * * *

(b) * * *

Relay Press Radio Service Frequency Table

Frequency or band	Class of station(s)	Limitations
Megahertz:		
72.0 to 76.0	Operational fixed	1
169-172	Mobile	8
173.225	Base or mobile	2
173.275	do	2
173.325	do	2
173.375	do	2
220-222	Base and mobile	10
450-470	Fixed or mobile	11, 14
452.9625	Mobile	15
452.975	Fixed or mobile	
452.98125	do	13
452.98750	do	12
452.99375	do	13
453.000	do	
453.00625	do	13
453.01250	do	12
453.01875	do	13
457.9625	Mobile	15
457.975	do	
457.98125	do	13
457.98750	do	12
457.99375	do	13
458.000	do	
458.00625	do	13
458.01250	do	12
458.01875	do	13
806 to 821	do	3
851 to 866	Base or mobile	3
896 to 901	Mobile	3
929-930	Base only	9
928 and above	Operational fixed	4
935 to 940	Base or mobile	3
1427 to 1435	Operational fixed, base or mobile	5
2450 to 2500	Base or mobile	6
8400 to 8500	do	7
10,550 to 10,680*	do	

*The frequencies in the band 10.55-10.68 GHz are available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this Subpart but current licenses will be renewed.

(c) * * *

(12) This frequency is not available in the 150-170 MHz band until August 16, 1996. This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

(13) This frequency is not available until August 16, 1996. After August 16, 1996 this frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(14) Assignment of frequencies in this band are subject to the provisions of § 90.173

(15) This frequency is available for systems first licensed prior to August 16, 1995. No new systems will be authorized after August 16, 1995, but prior authorized systems may be modified, expanded, and renewed.

* * * * *

(e) * * *

(3) Frequencies in the 25-50 MHz, 150-170 MHz, 450-512 MHz and 902-928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M, notwithstanding this limitation.

* * * * *

14. Section 90.73 is amended by replacing the table of frequencies in paragraph (c), replacing limitation (35) and adding limitations (38), (39), (40), and (41) in paragraph (d), revising paragraph (e)(4), and replacing paragraph (f)(4) to read as follows:

§ 90.73 Special Industrial Radio Service.

* * * * *

(c) * * *

Special Industrial Radio Service Frequency Table

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
Kilohertz:			43.14	do	34
2,000 to 25,000	Fixed, base or mobile	1	43.18	do	2
2292	Base or mobile	1, 34	43.28	do	31, 34
2398	do	1, 34	43.32	do	34
4637.5	do	1, 34	43.36	do	31, 34
Megahertz:			43.40	do	31, 34
30.58	do	2	43.44	do	34
30.60	do	2	43.48	do	34
30.62	do	2	43.52	do	31, 34
30.64	do	34	47.44	do	2
31.28	do	34	47.48	do	2
31.32	do	29, 34	47.52	do	2
31.36	do	34	47.56	do	2
31.40	do	29, 34	47.60	do	2
31.44	do	29, 34	47.64	do	2
31.48	do	29, 31, 34	47.68	do	2
31.52	do	29, 31, 34	49.52	do	34
31.56	do	34	49.54	do	5, 34
31.60	do	29, 34	49.56	do	2
31.64	do	29, 31, 34	49.58	do	5, 34
31.68	do	34	72.76	Operational fixed	6
31.72	do	29, 31, 34	72.44	Mobile	7
31.76	do	29, 31, 34	72.48	do	7
31.80	do	34	72.52	do	7
31.84	do	34	72.56	do	7
31.88	do	34	72.60	do	7
31.92	do	34	75.44	do	7
31.96	do	34	75.48	do	7
33.12	do	3, 34	75.52	do	7
35.28	Base or mobile	34	75.56	do	7
35.32	do	34	75.60	do	7
35.36	do	34	150 to 170	Base or mobile	39
35.40	do	34	151.490	do	2, 8
35.44	do	34	151.4975	do	2, 8, 35
35.48	do	29, 34	151.505	do	4
35.52	do	34	151.5125	do	4, 35
35.74	do	2	151.520	do	2
35.76	do	2	151.5275	do	2, 35
35.78	do	2	151.535	do	2
35.80	do	2	151.5425	do	2, 35
35.82	do	2	151.550	do	2
35.84	do	2	151.5575	do	2, 35
35.86	do	2	151.565	do	2
43.02	do	31, 34	151.5725	do	2, 35
43.04	do	4	151.580	do	2
43.06	do	34	151.5875	do	2, 35
43.08	do	34	151.595	do	2
43.10	do	34	151.6025	do	2, 35
43.12	do	34	152.465	do	2, 28, 35

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
152.480	do	2, 9, 35, 40	158.415	do	2, 30, 33
152.8625	do	10, 34, 38	158.4225	do	2, 30, 33, 35
152.870	do	10, 34	158.460	do	2, 9, 40
152.8775	do	10, 34, 35	169 to 172	Mobile, operational fixed	14
152.885	do	2	173.20375	Fixed or mobile	12, 13, 15, 27
152.8925	do	2, 35	173.2100	do	12, 15, 16, 27
152.900	do	2, 10	173.2375	do	12, 13, 15, 25
152.9075	do	2, 10, 35	173.2625	do	12, 13, 15, 25
152.915	do	2	173.2875	do	12, 13, 15, 25
152.9225	do	2, 35	173.3125	do	12, 13, 15, 25
152.930	do	2, 10	173.3375	do	12, 13, 15, 25
152.9375	do	2, 10, 35	173.3625	do	12, 13, 15, 25
152.945	do	2	173.3900	do	12, 15, 16, 27
152.9525	do	2, 35	173.39625	do	12, 13, 15, 27
152.960	do	2, 10	216 to 220	Base or mobile	17
152.9675	do	2, 10, 35	220-222	Base and mobile	37
152.975	do	2	406-413	Operational fixed	14
152.9825	do	2, 35	450 to 470	Fixed, base, or mobile	18, 39
152.990	do	2, 10	451.7125	Mobile	41
152.9975	do	2, 10, 35	451.725	Base or mobile	2
153.005	do	2	451.73125	do	2, 38
153.0125	do	2, 35	451.73750	do	2, 35
153.020	do	2, 10	451.74375	do	2, 38
153.0275	do	2, 10, 35	451.7625	Mobile	41
153.035	do	2, 11	451.775	Base or mobile	2
153.0425	do	2, 11, 35	451.78125	do	2, 38
153.050	do	2, 30, 33	451.78750	do	2, 35
153.0575	do	2, 30, 33, 35	451.79375	do	2, 38
153.125	do	2, 30, 33	451.800	Operational fixed, base or mobile	4, 19
153.1325	do	2, 30, 33, 35	451.80625	do	4, 19, 38
153.335	do	2, 30	451.81250	do	4, 19, 35
153.3425	do	2, 30, 35	451.81875	do	4, 19, 38
153.350	do	2, 30	451.825	Base or mobile	2
153.3575	do	2, 30, 35	451.83125	do	2, 38
153.365	do	2, 30	451.83750	do	2, 35
153.3725	do	2, 30, 35	451.84375	do	2, 38
153.380	do	2, 30	451.850	do	2
153.3875	do	2, 30, 35	451.85625	do	2, 38
153.395	do	2, 30	451.86250	do	2, 35
153.4025	do	2, 30, 35	451.86875	do	2, 38
154.45625	Fixed or mobile	12, 13, 15, 25	451.875	do	2
154.46375	do	12, 13, 15, 26, 27	451.88125	do	2, 38
154.47125	do	12, 13, 15, 27	451.88750	do	2, 35
154.47875	do	12, 13, 15, 25	451.89375	do	2, 38
154.4825	Base or mobile	2, 35	451.900	do	2
154.490	do	2	451.90625	do	2, 38
154.4975	do	2, 35	451.91250	do	2, 35
154.505	do	2, 35	451.91875	do	2, 38
154.625	do	2, 9, 40	451.925	do	2
154.640	do	2, 9, 35	451.93125	do	2, 38
157.725	do	2, 28	451.93750	do	2, 35
157.740	do	2, 9, 40	451.94375	do	2, 38
158.325	do	2, 30, 33	451.950	do	2
158.3325	do	2, 30, 33, 35	451.95625	do	2, 38
158.355	do	2, 32	451.96250	do	2, 35
158.3625	do	2, 32, 35	451.96875	do	2, 38
158.385	do	2	451.975	do	2
158.3925	do	2, 35	451.98125	do	2, 38
158.400	do	4	451.98750	do	2, 35
158.4075	do	4, 35			

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
451.99375	do	2, 38	456.95625	do	2, 38
452.000	do	2	456.96250	do	2, 35
452.00625	do	2, 38	456.96875	do	2, 38
452.01250	do	2, 35	456.975	do	2
452.01875	do	2, 38	456.98125	do	2, 38
452.025	do	2	456.98750	do	2, 35
452.03125	do	2, 38	456.99375	do	2, 38
452.03750	do	2, 35	457.000	do	2
452.04375	do	2, 38	457.00625	do	2, 38
452.0625	Mobile	41	457.01250	do	2, 35
452.075	Base or mobile	2	457.01875	do	2, 38
452.08125	do	2, 38	457.025	do	2
452.08750	do	2, 35	457.03125	do	2, 38
452.09375	do	2, 38	457.03750	do	2, 35
452.1125	Mobile	41	457.04375	do	2, 38
452.125	Base or mobile	2	457.0625	do	41
452.13125	do	2, 38	457.075	do	2
452.13750	do	2, 35	457.08125	do	2, 38
452.14375	do	2, 38	457.08750	do	2, 35
452.1625	Mobile	41	457.09375	do	2, 38
452.175	Base or mobile	2	457.1125	do	41
452.18125	do	2, 38	457.125	do	2
452.18750	do	2, 35	457.13125	do	2, 38
452.19375	do	2, 38	457.13750	do	2, 35
456.7125	Mobile	41	457.14375	do	2, 38
456.725	do	2	457.1625	do	41
456.73125	do	2, 38	457.175	do	2
456.73750	do	2, 35	457.18125	do	2, 38
456.74375	do	2, 38	457.18750	do	2, 35
456.7625	do	41	457.19375	do	2, 38
456.775	do	2	470 to 512	Base or mobile	20
456.78125	do	2, 38	806 to 821	Mobile	21
456.78750	do	2, 35	851 to 866	Base or mobile	21
456.79375	do	2, 38	896 to 901	Mobile	21
456.800	Operational fixed, base or mobile	4, 19	928 and above	Operational fixed	22
456.80625	do	4, 19, 38	929-930	Base only	36
456.81250	do	4, 19, 35	935 to 940	Base or mobile	21
456.81875	do	4, 19, 38	1427 to 1435	Operational fixed, base or mobile	17
456.825	Mobile	2	2450 to 2500	Base or mobile	23
456.83125	do	2, 38	8400 to 8500	do	24
456.83750	do	2, 35	10,550 to 10,680*	do	
456.84375	do	2, 38			
456.850	do	2			
456.85625	do	2, 38			
456.86250	do	2, 35			
456.86875	do	2, 38			
456.875	do	2			
456.88125	do	2, 38			
456.88750	do	2, 35			
456.89375	do	2, 38			
456.900	do	2			
456.90625	do	2, 38			
456.91250	do	2, 35			
456.91875	do	2, 38			
456.925	do	2			
456.93125	do	2, 38			
456.93750	do	2, 35			
456.94375	do	2, 38			
456.950	do	2			

*The frequencies in the band 10.55-10.68 GHz are available for Digital Termination Systems and for associated intermodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this Subpart but current licenses will be renewed.

(d) * * *

(35) This frequency is not available in the 150-170 MHz band until August 16, 1996. This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

* * * * *

(38) This frequency is not available until August 16, 1996. After August 16, 1996 this frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(39) Assignment of frequencies in this band are subject to the provisions of § 90.173

(40) This frequency will be authorized a channel bandwidth of 25 kHz.

(41) This frequency is available for systems first licensed prior to August 16, 1995. No new systems will be authorized after August 16, 1995, but prior authorized systems may be modified, expanded, and renewed.

* * * * *

(e) * * *

(4) * * *

Base and Mobile	Mobile Only
159.240	160.410
159.2475	160.4175
159.255	160.425
159.2625	160.4325
159.270	160.440
159.2775	160.4475
159.285	160.455
159.2925	160.4625
159.300	160.470
159.3075	160.4775
159.315	160.485
159.3225	160.4925
159.330	160.500
159.3375	160.5075
159.345	160.515
159.3525	160.5225
159.360	160.530
159.3675	160.5375
159.375	160.545
159.3825	160.5525
159.390	160.560
159.3975	160.5675
159.405	160.575
159.4125	160.5825
159.420	160.590
159.4275	160.5975
159.435	160.605
159.4425	160.6125

* * * * *

(f) * * *

(4) Frequencies in the 25-50 MHz, 150-170 MHz, 450-512 MHz and 902-928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M, notwithstanding this limitation.

* * * * *

15. Section 90.75 is amended by replacing the table of frequencies in paragraph (b), revising limitation (23), replacing limitation (24), revising limitation (38), adding limitations (46), (47), (48), (49), (50), and (51) in paragraph (c), revising paragraph (d)(4), and replacing paragraph (e)(4) to read as follows:

§ 90.75 Business Radio Service.

* * * * *

(b) * * *

Business Radio Service Frequency Table

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
Megahertz:			74.63	do	45
27.43	Base or Mobile	1, 2	74.65	do	45
27.45	do	1, 2	74.67	do	45
27.47	do	1, 2	74.69	do	45
27.49	do	1, 3	74.71	do	45
27.51	Mobile	4	74.73	do	45
27.53	do	4	74.75	do	45
30.76	Base or mobile	1, 2	74.77	do	45
30.80	do	1, 2	74.79	do	45
30.84	Mobile	4, 22	75.21	do	45
30.88	Base or mobile	1, 2	75.23	do	45
30.92	do	1, 2	75.25	do	45
30.96	do	1, 2	75.27	do	45
31.00	do	1, 2	75.29	do	45
31.04	do	1, 2	75.31	do	45
31.16	do	1, 2	75.33	do	45
31.20	do	1, 2	75.35	do	45
31.24	do	1, 2	75.37	do	45
33.14	Mobile	4, 22	75.39	do	45
33.16	Base or mobile	1, 2	150 to 170	Base or mobile	48
33.40	Mobile	6, 22	150.815	Mobile	8
35.02	do	4, 5, 22	150.830	Base	8, 10, 12, 49
35.04	Base or mobile	1, 3	150.845	Base or mobile	8
35.06	do	1, 2	150.8525	do	8, 24
35.08	do	1, 2	150.860	do	8
35.10	do	1, 2	150.8675	do	8, 24
35.12	do	1, 2	150.875	do	8
35.14	do	1, 2	150.8825	do	8, 24
35.18	do	1, 2	150.890	do	8
35.70	do	2	150.8975	do	8, 24
35.72	do	2	150.905	do	8
35.88	do	1, 2	150.920	Base	8, 10, 12, 49
35.90	do	1, 2	150.935	Base or mobile	8
35.92	do	1, 2	150.9425	do	8, 24
35.94	do		150.950	do	8
35.96	do		150.9575	do	8, 24
35.98	do		150.965	do	8
42.96	do	1, 2	150.9725	do	8, 24
42.98	Mobile	4, 22	150.995	do	8
43.00	Base or mobile	1, 2	151.0025	do	8, 24
72 to 76	Operational fixed	7	151.010	do	8
74.61	Mobile	45	151.0175	do	8, 24

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
151.025	do	8	151.6625	do	1, 2, 24
151.0325	do	8, 24	151.670	do	1, 2, 24
151.040	do	8	151.6775	do	1, 2, 24
151.0475	do	8, 24	151.685	do	1, 2
151.055	do	8	151.700	do	3, 30, 47
151.070	Base	8, 10, 12, 49	151.715	do	1, 2
151.085	Base or mobile	8	151.7225	do	1, 2, 24
151.0925	do	8, 24	151.730	do	1, 2, 24
151.100	do	8	151.7375	do	1, 2, 24
151.1075	do	8, 24	151.745	do	1, 2
151.115	do	8	151.760	do	3, 30, 47
151.1225	do	8, 24	151.775	do	1, 2
151.130	do	8	151.7825	do	1, 2, 24
151.1375	do	8, 24	151.790	do	1, 2, 24
151.145	do	8	151.7975	do	1, 2, 24
151.1525	do	8, 24	151.805	do	1, 2
151.160	do	8	151.820	Mobile	13, 22, 47, 51
151.1675	do	8, 24	151.835	Base or mobile	1, 2
151.175	do	8	151.8425	do	1, 2, 24
151.190	Base	8, 10, 12, 49	151.850	do	1, 2, 24
151.205	Base or mobile	8	151.8575	do	1, 2, 24
151.2125	do	8, 24	151.865	do	1, 2
151.220	do	8	151.880	Mobile	13, 22, 47, 51
151.2275	do	8, 24	151.895	Base or mobile	1, 2
151.235	do	8	151.9025	do	1, 2, 24
151.2425	do	8, 24	151.910	do	1, 2, 24
151.250	do	8	151.9175	do	1, 2, 24
151.2575	do	8, 24	151.925	do	
151.265	do	8	151.940	Mobile	13, 22, 47, 51
151.2725	do	8, 24	151.955	Base or mobile	
151.280	do	8	151.9625	do	1, 2, 24
151.2875	do	8, 24	151.970	do	1, 2, 24
151.295	do	8	151.9775	do	1, 2, 24
151.310	Base	8, 10, 12, 49	152.300	do	9
151.325	Base or mobile	8	152.3075	do	9, 24
151.3325	do	8, 24	152.315	do	1, 9
151.340	do	8	152.3225	do	1, 9, 24
151.3475	do	8, 24	152.345	do	1, 9
151.355	do	8	152.3525	do	1, 9, 24
151.3625	do	8, 24	152.360	do	9
151.370	do	8	152.3675	do	9, 24
151.3775	do	8, 24	152.375	do	1, 9
151.385	do	8	152.3825	do	1, 9, 24
151.3925	do	8, 24	152.405	do	1, 9
151.400	do	8	152.4125	do	1, 9, 24
151.4075	do	8, 24	152.420	do	9
151.415	do	8	152.4275	do	9, 24
151.4225	do	8, 24	152.480	Base	10, 11, 12, 49
151.430	do	8	154.45625	Mobile	18, 19, 36
151.4375	do	8, 24	154.46375	do	18, 19, 35, 37
151.445	do	8	154.47125	do	18, 19, 35
151.4525	do	8, 24	154.515	Base or mobile	1, 2
151.460	do	8	154.5275	Mobile	3, 30, 47
151.4675	do	8, 24	154.540	Base or mobile	1, 2
151.475	do	8	154.5475	do	1, 2, 24
151.4825	do	8, 24	154.555	do	1, 2, 46
151.625	do	1, 3	154.570	Mobile	4, 13, 22
151.640	do	1, 2, 46	154.600	do	4, 14, 22
151.6475	do	1, 2, 24	154.610	Base or mobile	1, 2, 46
151.655	do	1, 2	154.625	Base	10, 11, 15, 49

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
154.640	do	10, 11, 15, 24	460.71875	do	2, 15, 25, 26, 46
157.560	Base or mobile	9	460.725	do	2, 15, 25, 26
157.5675	do	9, 24	460.73125	do	2, 15, 25, 26, 46
157.575	Mobile	1, 9	460.73750	do	2, 15, 24, 25, 26
157.5825	do	1, 9, 24	460.74375	do	2, 15, 25, 26, 46
157.605	Mobile	1, 9	460.750	do	2, 15, 25, 26
157.6125	do	1, 9, 24	460.75625	do	2, 15, 25, 26, 46
157.620	Base or mobile	9	460.76250	do	2, 15, 24, 25, 26
157.6275	do	9, 24	460.76875	do	2, 15, 25, 26, 46
157.635	Mobile	1, 9	460.775	do	2, 15, 25, 26
157.6425	do	1, 9, 24	460.78125	do	2, 15, 25, 26, 46
157.665	Mobile	1, 9	460.78750	do	2, 15, 24, 25, 26
157.6725	do	1, 9, 24	460.79375	do	2, 15, 25, 26, 46
157.680	do	9	460.800	do	2, 15, 25, 26
157.6875	do	9, 24	460.80625	do	2, 15, 25, 26, 46
157.740	Base	10, 11, 12, 49	460.81250	do	2, 15, 24, 25, 26
158.460	do	10, 11, 12, 15, 49	460.81875	do	2, 15, 25, 26, 46
169 to 172	Mobile, operational fixed	17	460.825	do	2, 15, 25, 26
173.20375	Mobile	18, 19, 35	460.83125	do	2, 15, 25, 26, 46
173.2100	do	18, 20, 35	460.83750	do	2, 15, 24, 25, 26
173.2375	do	18, 19, 36	460.84375	do	2, 15, 25, 26, 46
173.2625	do	18, 19, 36	460.850	do	2, 15, 25, 26
173.2875	do	18, 19, 36	460.85625	do	2, 15, 25, 26, 46
173.3125	do	18, 19, 36	460.86250	do	2, 15, 24, 25, 26
173.3375	do	18, 19, 36	460.86875	do	2, 15, 25, 26, 46
173.3625	do	18, 19, 36	460.875	do	2, 15, 25, 26
173.3900	do	18, 20, 35	460.88125	do	2, 15, 25, 26, 46
173.39625	do	18, 19, 35	460.88750	do	2, 15, 24, 25, 26
216 to 220	Base or mobile	21	460.89375	do	2, 15, 25, 26, 46
220-222	Base and mobile	44	460.900	do	1, 2, 27, 39, 40
406 to 413	Operational fixed	17	460.90625	do	1, 2, 27, 39, 40, 46
450 to 470	Base or mobile	48	460.91250	do	1, 2, 24, 27, 39, 40
457.5125	Mobile	50	460.91875	do	1, 2, 27, 39, 40, 46
457.525	do	4, 14, 22, 23	460.925	do	1, 2, 27, 39, 40
457.53125	do	4, 14, 22, 23, 46	460.93125	do	1, 2, 27, 39, 40, 46
457.53750	do	4, 14, 22, 23, 24	460.93750	do	1, 2, 24, 27, 39, 40
457.54375	do	4, 14, 22, 23, 46	460.94375	do	1, 2, 27, 39, 40, 46
457.550	do	4, 14, 22, 23	460.950	do	1, 2, 27, 39, 40
457.55625	do	4, 14, 22, 23, 46	460.95625	do	1, 2, 27, 39, 40, 46
457.56250	do	4, 14, 22, 23, 24	460.96250	do	1, 2, 24, 27, 39, 40
457.56875	do	4, 14, 22, 23, 46	460.96875	do	1, 2, 27, 39, 40, 46
457.575	do	4, 14, 22, 23	460.975	do	1, 2, 28, 39, 40
457.58125	do	4, 14, 22, 23, 46	460.98125	do	1, 2, 28, 39, 40, 46
457.58750	do	4, 14, 22, 23, 24	460.98750	do	1, 2, 24, 28, 39, 40
457.59375	do	4, 14, 22, 23, 46	460.99375	do	1, 2, 28, 39, 40, 46
457.600	do	4, 14, 22, 23	461.000	do	1, 2, 28, 39, 40
457.60625	do	4, 14, 22, 23, 46	461.00625	do	1, 2, 28, 39, 40, 46
457.61250	do	4, 14, 22, 23, 24	461.01250	do	1, 2, 24, 28, 39, 40
457.61875	do	4, 14, 22, 23, 46	461.01875	do	1, 2, 28, 39, 40, 46
460.650	Base or mobile	2, 15, 25, 26	461.025	do	1, 2, 26
460.65625	do	2, 15, 25, 26, 46	461.03125	do	1, 2, 26, 46
460.66250	do	2, 15, 24, 25, 26	461.03750	do	1, 2, 24, 26
460.66875	do	2, 15, 25, 26, 46	461.04375	do	1, 2, 26, 46
460.675	do	2, 15, 25, 26	461.050	do	1, 2, 26
460.68125	do	2, 15, 25, 26, 46	461.05625	do	1, 2, 26, 46
460.68750	do	2, 15, 24, 25, 26	461.06250	do	1, 2, 24, 26
460.69375	do	2, 15, 25, 26, 46	461.06875	do	1, 2, 26, 46
460.700	do	2, 15, 25, 26	461.075	do	1, 2, 26
460.70625	do	2, 15, 25, 26, 46	461.08125	do	1, 2, 26, 46
460.71250	do	2, 15, 24, 25, 26	461.08750	do	1, 2, 24, 26

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
461.09375	do	1, 2, 26, 46	461.46875	do	1, 2, 26, 46
461.100	do	1, 2, 26	461.475	do	1, 2, 26
461.10625	do	1, 2, 26, 46	461.48125	do	1, 2, 26, 46
461.11250	do	1, 2, 24, 26	461.48750	do	1, 2, 24, 26
461.11875	do	1, 2, 26, 46	461.49375	do	1, 2, 26, 46
461.125	do	1, 2, 26	461.500	do	1, 2, 26
461.13125	do	1, 2, 26, 46	461.50625	do	1, 2, 26, 46
461.13750	do	1, 2, 24, 26	461.51250	do	1, 2, 24, 26
461.14375	do	1, 2, 26, 46	461.51875	do	1, 2, 26, 46
461.150	do	1, 2, 26	461.525	do	1, 2, 26
461.15625	do	1, 2, 26, 46	461.53125	do	1, 2, 26, 46
461.16250	do	1, 2, 24, 26	461.53750	do	1, 2, 24, 26
461.16875	do	1, 2, 26, 46	461.54375	do	1, 2, 26, 46
461.175	do	1, 2, 26	461.550	do	1, 2, 26
461.18125	do	1, 2, 26, 46	461.55625	do	1, 2, 26, 46
461.18750	do	1, 2, 24, 26	461.56250	do	1, 2, 24, 26
461.19375	do	1, 2, 26, 46	461.56875	do	1, 2, 26, 46
461.200	do	1, 2, 26	461.575	do	1, 2, 26
461.20625	do	1, 2, 26, 46	461.58125	do	1, 2, 26, 46
461.21250	do	1, 2, 24, 26	461.58750	do	1, 2, 24, 26
461.21875	do	1, 2, 26, 46	461.59375	do	1, 2, 26, 46
461.225	do	1, 2, 26	461.600	do	1, 2, 26
461.23125	do	1, 2, 26, 46	461.60625	do	1, 2, 26, 46
461.23750	do	1, 2, 24, 26	461.61250	do	1, 2, 24, 26
461.24375	do	1, 2, 26, 46	461.61875	do	1, 2, 26, 46
461.250	do	1, 2, 26	461.625	do	1, 2, 26
461.25625	do	1, 2, 26, 46	461.63125	do	1, 2, 26, 46
461.26250	do	1, 2, 24, 26	461.63750	do	1, 2, 24, 26
461.26875	do	1, 2, 26, 46	461.64375	do	1, 2, 26, 46
461.275	do	1, 2, 26	461.650	do	1, 2, 26
461.28125	do	1, 2, 26, 46	461.65625	do	1, 2, 26, 46
461.28750	do	1, 2, 24, 26	461.66250	do	1, 2, 24, 26
461.29375	do	1, 2, 26, 46	461.66875	do	1, 2, 26, 46
461.300	do	1, 2, 26	461.675	do	1, 2, 26
461.30625	do	1, 2, 26, 46	461.68125	do	1, 2, 26, 46
461.31250	do	1, 2, 24, 26	461.68750	do	1, 2, 24, 26
461.31875	do	1, 2, 26, 46	461.69375	do	1, 2, 26, 46
461.325	do	1, 2, 26	461.700	do	1, 2, 26
461.33125	do	1, 2, 26, 46	461.70625	do	1, 2, 26, 46
461.33750	do	1, 2, 24, 26	461.71250	do	1, 2, 24, 26
461.34375	do	1, 2, 26, 46	461.71875	do	1, 2, 26, 46
461.350	do	1, 2, 26	461.725	do	1, 2, 26
461.35625	do	1, 2, 26, 46	461.73125	do	1, 2, 26, 46
461.36250	do	1, 2, 24, 26	461.73750	do	1, 2, 24, 26
461.36875	do	1, 2, 26, 46	461.74375	do	1, 2, 26, 46
461.375	do	1, 2, 26	461.750	do	1, 2, 26
461.38125	do	1, 2, 26, 46	461.75625	do	1, 2, 26, 46
461.38750	do	1, 2, 24, 26	461.76250	do	1, 2, 24, 26
461.39375	do	1, 2, 26, 46	461.76875	do	1, 2, 26, 46
461.400	do	1, 2, 26	461.775	do	1, 2, 26
461.40625	do	1, 2, 26, 46	461.78125	do	1, 2, 26, 46
461.41250	do	1, 2, 24, 26	461.78750	do	1, 2, 24, 26
461.41875	do	1, 2, 26, 46	461.79375	do	1, 2, 26, 46
461.425	do	1, 2, 26	461.800	do	1, 2, 26
461.43125	do	1, 2, 26, 46	461.80625	do	1, 2, 26, 46
461.43750	do	1, 2, 24, 26	461.81250	do	1, 2, 24, 26
461.44375	do	1, 2, 26, 46	461.81875	do	1, 2, 26, 46
461.450	do	1, 2, 26	461.825	do	1, 2, 26
461.45625	do	1, 2, 26, 46	461.83125	do	1, 2, 26, 46
461.46250	do	1, 2, 24, 26	461.83750	do	1, 2, 24, 26

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
461.84375	do	1, 2, 26, 46	462.7875	Mobile	50
461.850	do	1, 2, 26	462.800	Base	10, 49
461.85625	do	1, 2, 26, 46	462.8125	Mobile	50
461.86250	do	1, 2, 24, 26	462.825	Base	10, 49
461.86875	do	1, 2, 26, 46	462.8375	Mobile	50
461.875	do	1, 2, 26	462.850	Base	10, 49
461.88125	do	1, 2, 26, 46	462.8625	Mobile	50
461.88750	do	1, 2, 24, 26	462.875	Base	10, 49
461.89375	do	1, 2, 26, 46	462.8875	Mobile	50
461.900	do	1, 2, 26	462.900	Base	10, 49
461.90625	do	1, 2, 26, 46	462.9125	Mobile	50
461.91250	do	1, 2, 24, 26	462.925	Base	10, 49
461.91875	do	1, 2, 26, 46	462.93750	do	24, 49
461.925	do	1, 2, 26	462.94375	do	46
461.93125	do	1, 2, 26, 46	463.200	Base or mobile	1, 2, 26
461.93750	do	1, 2, 24, 26	463.20625	do	1, 2, 26, 46
461.94375	do	1, 2, 26, 46	463.21250	do	1, 2, 24, 26
461.950	do	1, 2, 26	463.21875	do	1, 2, 26, 46
461.95625	do	1, 2, 26, 46	463.225	do	1, 2, 26
461.96250	do	1, 2, 24, 26	463.23125	do	1, 2, 26, 46
461.96875	do	1, 2, 26, 46	463.23750	do	1, 2, 24, 26
461.975	do	1, 2, 26	463.24375	do	1, 2, 26, 46
461.98125	do	1, 2, 26, 46	463.250	do	1, 2, 26
461.98750	do	1, 2, 24, 26	463.25625	do	1, 2, 26, 46
461.99375	do	1, 2, 26, 46	463.26250	do	1, 2, 24, 26
462.000	do	1, 2, 26	463.26875	do	1, 2, 26, 46
462.00625	do	1, 2, 26, 46	463.275	do	1, 2, 26
462.01250	do	1, 2, 24, 26	463.28125	do	1, 2, 26, 46
462.01875	do	1, 2, 26, 46	463.28750	do	1, 2, 24, 26
462.025	do	1, 2, 26	463.29375	do	1, 2, 26, 46
462.03125	do	1, 2, 26, 46	463.300	do	1, 2, 26
462.03750	do	1, 2, 24, 26	463.30625	do	1, 2, 26, 46
462.04375	do	1, 2, 26, 46	463.31250	do	1, 2, 24, 26
462.050	do	1, 2, 26	463.31875	do	1, 2, 26, 46
462.05625	do	1, 2, 26, 46	463.325	do	1, 2, 26
462.06250	do	1, 2, 24, 26	463.33125	do	1, 2, 26, 46
462.06875	do	1, 2, 26, 46	463.33750	do	1, 2, 24, 26
462.075	do	1, 2, 26	463.34375	do	1, 2, 26, 46
462.08125	do	1, 2, 26, 46	463.350	do	1, 2, 26
462.08750	do	1, 2, 24, 26	463.35625	do	1, 2, 26, 46
462.09375	do	1, 2, 26, 46	463.36250	do	1, 2, 24, 26
462.100	do	1, 2, 26	463.36875	do	1, 2, 26, 46
462.10625	do	1, 2, 26, 46	463.375	do	1, 2, 26
462.11250	do	1, 2, 24, 26	463.38125	do	1, 2, 26, 46
462.11875	do	1, 2, 26, 46	463.38750	do	1, 2, 24, 26
462.125	do	1, 2, 26	463.39375	do	1, 2, 26, 46
462.13125	do	1, 2, 26, 46	463.400	do	1, 2, 26
462.13750	do	1, 2, 24, 26	463.40625	do	1, 2, 26, 46
462.14375	do	1, 2, 26, 46	463.41250	do	1, 2, 24, 26
462.150	do	1, 2, 26	463.41875	do	1, 2, 26, 46
462.15625	do	1, 2, 26, 46	463.425	do	1, 2, 26
462.16250	do	1, 2, 24, 26	463.43125	do	1, 2, 26, 46
462.16875	do	1, 2, 26, 46	463.43750	do	1, 2, 24, 26
462.175	do	1, 2, 26	463.44375	do	1, 2, 26, 46
462.18125	do	1, 2, 26, 46	463.450	do	1, 2, 26
462.18750	do	1, 2, 24, 26	463.45625	do	1, 2, 26, 46
462.19375	do	1, 2, 26, 46	463.46250	do	1, 2, 24, 26
462.750	Base	10, 49	463.46875	do	1, 2, 26, 46
462.7625	Mobile	50	463.475	do	1, 2, 26
462.775	Base	10, 49	463.48125	do	1, 2, 26, 46

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
463.48750	do	1, 2, 24, 26	463.86250	do	1, 2, 24, 26
463.49375	do	1, 2, 26, 46	463.86875	do	1, 2, 26, 46
463.500	do	1, 2, 26	463.875	do	1, 2, 26
463.50625	do	1, 2, 26, 46	463.88125	do	1, 2, 26, 46
463.51250	do	1, 2, 24, 26	463.88750	do	1, 2, 24, 26
463.51875	do	1, 2, 26, 46	463.89375	do	1, 2, 26, 46
463.525	do	1, 2, 26	463.900	do	1, 2, 26
463.53125	do	1, 2, 26, 46	463.90625	do	1, 2, 26, 46
463.53750	do	1, 2, 24, 26	463.91250	do	1, 2, 24, 26
463.54375	do	1, 2, 26, 46	463.91875	do	1, 2, 26, 46
463.550	do	1, 2, 26	463.925	do	1, 2, 26
463.55625	do	1, 2, 26, 46	463.93125	do	1, 2, 26, 46
463.56250	do	1, 2, 24, 26	463.93750	do	1, 2, 24, 26
463.56875	do	1, 2, 26, 46	463.94375	do	1, 2, 26, 46
463.575	do	1, 2, 26	463.950	do	1, 2, 26
463.58125	do	1, 2, 26, 46	463.95625	do	1, 2, 26, 46
463.58750	do	1, 2, 24, 26	463.96250	do	1, 2, 24, 26
463.59375	do	1, 2, 26, 46	463.96875	do	1, 2, 26, 46
463.600	do	1, 2, 26	463.975	do	1, 2, 26
463.60625	do	1, 2, 26, 46	463.98125	do	1, 2, 26, 46
463.61250	do	1, 2, 24, 26	463.98750	do	1, 2, 24, 26
463.61875	do	1, 2, 26, 46	463.99375	do	1, 2, 26, 46
463.625	do	1, 2, 26	464.000	do	1, 2, 26
463.63125	do	1, 2, 26, 46	464.00625	do	1, 2, 26, 46
463.63750	do	1, 2, 24, 26	464.01250	do	1, 2, 24, 26
463.64375	do	1, 2, 26, 46	464.01875	do	1, 2, 26, 46
463.650	do	1, 2, 26	464.025	do	1, 2, 26
463.65625	do	1, 2, 26, 46	464.03125	do	1, 2, 26, 46
463.66250	do	1, 2, 24, 26	464.03750	do	1, 2, 24, 26
463.66875	do	1, 2, 26, 46	464.04375	do	1, 2, 26, 46
463.675	do	1, 2, 26	464.050	do	1, 2, 26
463.68125	do	1, 2, 26, 46	464.05625	do	1, 2, 26, 46
463.68750	do	1, 2, 24, 26	464.06250	do	1, 2, 24, 26
463.69375	do	1, 2, 26, 46	464.06875	do	1, 2, 26, 46
463.700	do	1, 2, 26	464.075	do	1, 2, 26
463.70625	do	1, 2, 26, 46	464.08125	do	1, 2, 26, 46
463.71250	do	1, 2, 24, 26	464.08750	do	1, 2, 24, 26
463.71875	do	1, 2, 26, 46	464.09375	do	1, 2, 26, 46
463.725	do	1, 2, 26	464.100	do	1, 2, 26
463.73125	do	1, 2, 26, 46	464.10625	do	1, 2, 26, 46
463.73750	do	1, 2, 24, 26	464.11250	do	1, 2, 24, 26
463.74375	do	1, 2, 26, 46	464.11875	do	1, 2, 26, 46
463.750	do	1, 2, 26	464.125	do	1, 2, 26
463.75625	do	1, 2, 26, 46	464.13125	do	1, 2, 26, 46
463.76250	do	1, 2, 24, 26	464.13750	do	1, 2, 24, 26
463.76875	do	1, 2, 26, 46	464.14375	do	1, 2, 26, 46
463.775	do	1, 2, 26	464.150	do	1, 2, 26
463.78125	do	1, 2, 26, 46	464.15625	do	1, 2, 26, 46
463.78750	do	1, 2, 24, 26	464.16250	do	1, 2, 24, 26
463.79375	do	1, 2, 26, 46	464.16875	do	1, 2, 26, 46
463.800	do	1, 2, 26	464.175	do	1, 2, 26
463.80625	do	1, 2, 26, 46	464.18125	do	1, 2, 26, 46
463.81250	do	1, 2, 24, 26	464.18750	do	1, 2, 24, 26
463.81875	do	1, 2, 26, 46	464.19375	do	1, 2, 26, 46
463.825	do	1, 2, 26	464.200	do	1, 2, 26
463.83125	do	1, 2, 26, 46	464.20625	do	1, 2, 26, 46
463.83750	do	1, 2, 24, 26	464.21250	do	1, 2, 24, 26
463.84375	do	1, 2, 26, 46	464.21875	do	1, 2, 26, 46
463.850	do	1, 2, 26	464.225	do	1, 2, 26
463.85625	do	1, 2, 26, 46	464.23125	do	1, 2, 26, 46

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
464.23750	do	1, 2, 24, 26	464.63750	do	1, 24, 26
464.24375	do	1, 2, 26, 46	464.64375	do	1, 26, 46
464.250	do	1, 2, 26	464.650	do	1, 26
464.25625	do	1, 2, 26, 46	464.65625	do	1, 26, 46
464.26250	do	1, 2, 24, 26	464.66250	do	1, 24, 26
464.26875	do	1, 2, 26, 46	464.66875	do	1, 26, 46
464.275	do	1, 2, 26	464.675	do	1, 2, 26, 29
464.28125	do	1, 2, 26, 46	464.68125	do	1, 2, 26, 29, 46
464.28750	do	1, 2, 24, 26	464.68750	do	1, 2, 24, 26, 29
464.29375	do	1, 2, 26, 46	464.69375	do	1, 2, 26, 29, 46
464.300	do	1, 2, 26	464.700	do	1, 26
464.30625	do	1, 2, 26, 46	464.70625	do	1, 26, 46
464.31250	do	1, 2, 24, 26	464.71250	do	1, 24, 26
464.31875	do	1, 2, 26, 46	464.71875	do	1, 26, 46
464.325	do	1, 2, 26, 29	464.725	do	1, 26
464.33125	do	1, 2, 26, 29, 46	464.73125	do	1, 26, 46
464.33750	do	1, 2, 24, 26, 29	464.73750	do	1, 24, 26
464.34375	do	1, 2, 26, 29, 46	464.74375	do	1, 26, 46
464.350	do	1, 2, 26	464.750	do	1, 26
464.35625	do	1, 2, 26, 46	464.75625	do	1, 26, 46
464.36250	do	1, 2, 24, 26	464.76250	do	1, 24, 26
464.36875	do	1, 2, 26, 46	464.76875	do	1, 26, 46
464.375	do	1, 2, 26, 29	464.775	do	1, 2, 26, 29
464.38125	do	1, 2, 26, 29, 46	464.78125	do	1, 2, 26, 29, 46
464.38750	do	1, 2, 24, 26, 29	464.78750	do	1, 2, 24, 26, 29
464.39375	do	1, 2, 26, 29, 46	464.79375	do	1, 2, 26, 29, 46
464.400	do	1, 2, 26	464.800	do	1, 2, 26
464.40625	do	1, 2, 26, 46	464.80625	do	1, 2, 26, 46
464.41250	do	1, 2, 24, 26	464.81250	do	1, 2, 24, 26
464.41875	do	1, 2, 26, 46	464.81875	do	1, 2, 26, 46
464.425	do	1, 2, 26, 29	464.825	do	1, 2, 26, 29
464.43125	do	1, 2, 26, 29, 46	464.83125	do	1, 2, 26, 29, 46
464.43750	do	1, 2, 24, 26, 29	464.83750	do	1, 2, 24, 26, 29
464.44375	do	1, 2, 26, 29, 46	464.84375	do	1, 2, 26, 29, 46
464.450	do	1, 2, 26	464.850	do	1, 2, 26
464.45625	do	1, 2, 26, 46	464.85625	do	1, 2, 26, 46
464.46250	do	1, 2, 24, 26	464.86250	do	1, 2, 24, 26
464.46875	do	1, 2, 26, 46	464.86875	do	1, 2, 26, 46
464.475	do	1, 2, 26, 29	464.875	do	1, 2, 26, 29
464.48125	do	1, 2, 26, 29, 46	464.88125	do	1, 2, 26, 29, 46
464.4875	do	1, 2, 26, 29, 46	464.88750	do	1, 2, 24, 26, 29
464.500	do	3, 30	464.89375	do	1, 2, 26, 29, 46
464.5125	do	1, 2, 26, 29, 46	464.900	do	1, 2, 26
464.51875	do	1, 2, 26, 29, 46	464.90625	do	1, 2, 26, 46
464.525	do	1, 2, 26, 29	464.91250	do	1, 2, 24, 26
464.53125	do	1, 2, 26, 29, 46	464.91875	do	1, 2, 26, 46
464.5375	do	1, 2, 26, 29, 46	464.925	do	1, 2, 26, 29
464.550	do	3, 30	464.93125	do	1, 2, 26, 29, 46
464.5625	do	1, 2, 26, 29, 46	464.93750	do	1, 2, 24, 26, 29
464.56875	do	1, 2, 26, 29, 46	464.94375	do	1, 2, 26, 29, 46
464.575	do	1, 2, 26, 29	464.950	do	1, 2, 26
464.58125	do	1, 2, 26, 29, 46	464.95625	do	1, 2, 26, 46
464.58750	do	1, 2, 24, 26, 29	464.96250	do	1, 2, 24, 26
464.59375	do	1, 2, 26, 29, 46	464.96875	do	1, 2, 26, 46
464.600	do	1, 26	464.975	do	1, 2, 26, 29
464.60625	do	1, 26, 46	464.98125	do	1, 2, 26, 29, 46
464.61250	do	1, 24, 26	464.98750	do	1, 2, 24, 26, 29
464.61875	do	1, 26, 46	465.000	Base	10, 30, 49
464.625	do	1, 26	465.01250	do	24, 30
464.63125	do	1, 26, 46	465.01875	do	30, 46

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
465.650	Mobile	2, 4, 25, 26, 31	466.025	do	1, 2, 26
465.65625	do	2, 4, 25, 26, 31, 46	466.03125	do	1, 2, 26, 46
465.66250	do	2, 4, 24, 25, 26, 31	466.03750	do	1, 2, 24, 26
465.66875	do	2, 4, 25, 26, 31, 46	466.04375	do	1, 2, 26, 46
465.675	do	2, 4, 25, 26, 31	466.050	do	1, 2, 26
465.68125	do	2, 4, 25, 26, 31, 46	466.05625	do	1, 2, 26, 46
465.68750	do	2, 4, 24, 25, 26, 31	466.06250	do	1, 2, 24, 26
465.69375	do	2, 4, 25, 26, 31, 46	466.06875	do	1, 2, 26, 46
465.700	do	2, 4, 25, 26, 31	466.075	do	1, 2, 26
465.70625	do	2, 4, 25, 26, 31, 46	466.08125	do	1, 2, 26, 46
465.71250	do	2, 4, 24, 25, 26, 31	466.08750	do	1, 2, 24, 26
465.71875	do	2, 4, 25, 26, 31, 46	466.09375	do	1, 2, 26, 46
465.725	do	2, 4, 25, 26, 31	466.100	do	1, 2, 26
465.73125	do	2, 4, 25, 26, 31, 46	466.10625	do	1, 2, 26, 46
465.73750	do	2, 4, 24, 25, 26, 31	466.11250	do	1, 2, 24, 26
465.74375	do	2, 4, 25, 26, 31, 46	466.11875	do	1, 2, 26, 46
465.750	do	2, 4, 25, 26, 31	466.125	do	1, 2, 26
465.75625	do	2, 4, 25, 26, 31, 46	466.13125	do	1, 2, 26, 46
465.76250	do	2, 4, 24, 25, 26, 31	466.13750	do	1, 2, 24, 26
465.76875	do	2, 4, 25, 26, 31, 46	466.14375	do	1, 2, 26, 46
465.775	do	2, 4, 25, 26, 31	466.150	do	1, 2, 26
465.78125	do	2, 4, 25, 26, 31, 46	466.15625	do	1, 2, 26, 46
465.78750	do	2, 4, 24, 25, 26, 31	466.16250	do	1, 2, 24, 26
465.79375	do	2, 4, 25, 26, 31, 46	466.16875	do	1, 2, 26, 46
465.800	do	2, 4, 25, 26, 31	466.175	do	1, 2, 26
465.80625	do	2, 4, 25, 26, 31, 46	466.18125	do	1, 2, 26, 46
465.81250	do	2, 4, 24, 25, 26, 31	466.18750	do	1, 2, 24, 26
465.81875	do	2, 4, 25, 26, 31, 46	466.19375	do	1, 2, 26, 46
465.825	do	2, 4, 25, 26, 31	466.200	do	1, 2, 26
465.83125	do	2, 4, 25, 26, 31, 46	466.20625	do	1, 2, 26, 46
465.83750	do	2, 4, 24, 25, 26, 31	466.21250	do	1, 2, 24, 26
465.84375	do	2, 4, 25, 26, 31, 46	466.21875	do	1, 2, 26, 46
465.850	do	2, 4, 25, 26, 31	466.225	do	1, 2, 26
465.85625	do	2, 4, 25, 26, 31, 46	466.23125	do	1, 2, 26, 46
465.86250	do	2, 4, 24, 25, 26, 31	466.23750	do	1, 2, 24, 26
465.86875	do	2, 4, 25, 26, 31, 46	466.24375	do	1, 2, 26, 46
465.875	do	2, 4, 25, 26, 31	466.250	do	1, 2, 26
465.88125	do	2, 4, 25, 26, 31, 46	466.25625	do	1, 2, 26, 46
465.88750	do	2, 4, 24, 25, 26, 31	466.26250	do	1, 2, 24, 26
465.89375	do	2, 4, 25, 26, 31, 46	466.26875	do	1, 2, 26, 46
465.900	do	1, 2, 27, 39	466.275	do	1, 2, 26
465.90625	do	1, 2, 27, 39, 46	466.28125	do	1, 2, 26, 46
465.91250	do	1, 2, 24, 27, 39	466.28750	do	1, 2, 24, 26
465.91875	do	1, 2, 27, 39, 46	466.29375	do	1, 2, 26, 46
465.925	do	1, 2, 27, 39	466.300	do	1, 2, 26
465.93125	do	1, 2, 27, 39, 46	466.30625	do	1, 2, 26, 46
465.93750	do	1, 2, 24, 27, 39	466.31250	do	1, 2, 24, 26
465.94375	do	1, 2, 27, 39, 46	466.31875	do	1, 2, 26, 46
465.950	do	1, 2, 27, 39	466.325	do	1, 2, 26
465.95625	do	1, 2, 27, 39, 46	466.33125	do	1, 2, 26, 46
465.96250	do	1, 2, 24, 27, 39	466.33750	do	1, 2, 24, 26
465.96875	do	1, 2, 27, 39, 46	466.34375	do	1, 2, 26, 46
465.975	do	1, 2, 28, 39	466.350	do	1, 2, 26
465.98125	do	1, 2, 28, 39, 46	466.35625	do	1, 2, 26, 46
465.98750	do	1, 2, 24, 28, 39	466.36250	do	1, 2, 24, 26
465.99375	do	1, 2, 28, 39, 46	466.36875	do	1, 2, 26, 46
466.000	do	1, 2, 28, 39	466.375	do	1, 2, 26
466.00625	do	1, 2, 28, 39, 46	466.38125	do	1, 2, 26, 46
466.01250	do	1, 2, 24, 28, 39	466.38750	do	1, 2, 24, 26
466.01875	do	1, 2, 28, 39, 46	466.39375	do	1, 2, 26, 46

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
466.400	do	1, 2, 26	466.775	do	1, 2, 26
466.40625	do	1, 2, 26, 46	466.78125	do	1, 2, 26, 46
466.41250	do	1, 2, 24, 26	466.78750	do	1, 2, 24, 26
466.41875	do	1, 2, 26, 46	466.79375	do	1, 2, 26, 46
466.425	do	1, 2, 26	466.800	do	1, 2, 26
466.43125	do	1, 2, 26, 46	466.80625	do	1, 2, 26, 46
466.43750	do	1, 2, 24, 26	466.81250	do	1, 2, 24, 26
466.44375	do	1, 2, 26, 46	466.81875	do	1, 2, 26, 46
466.450	do	1, 2, 26	466.825	do	1, 2, 26
466.45625	do	1, 2, 26, 46	466.83125	do	1, 2, 26, 46
466.46250	do	1, 2, 24, 26	466.83750	do	1, 2, 24, 26
466.46875	do	1, 2, 26, 46	466.84375	do	1, 2, 26, 46
466.475	do	1, 2, 26	466.850	do	1, 2, 26
466.48125	do	1, 2, 26, 46	466.85625	do	1, 2, 26, 46
466.48750	do	1, 2, 24, 26	466.86250	do	1, 2, 24, 26
466.49375	do	1, 2, 26, 46	466.86875	do	1, 2, 26, 46
466.500	do	1, 2, 26	466.875	do	1, 2, 26
466.50625	do	1, 2, 26, 46	466.88125	do	1, 2, 26, 46
466.51250	do	1, 2, 24, 26	466.88750	do	1, 2, 24, 26
466.51875	do	1, 2, 26, 46	466.89375	do	1, 2, 26, 46
466.525	do	1, 2, 26	466.900	do	1, 2, 26
466.53125	do	1, 2, 26, 46	466.90625	do	1, 2, 26, 46
466.53750	do	1, 2, 24, 26	466.91250	do	1, 2, 24, 26
466.54375	do	1, 2, 26, 46	466.91875	do	1, 2, 26, 46
466.550	do	1, 2, 26	466.925	do	1, 2, 26
466.55625	do	1, 2, 26, 46	466.93125	do	1, 2, 26, 46
466.56250	do	1, 2, 24, 26	466.93750	do	1, 2, 24, 26
466.56875	do	1, 2, 26, 46	466.94375	do	1, 2, 26, 46
466.575	do	1, 2, 26	466.950	do	1, 2, 26
466.58125	do	1, 2, 26, 46	466.95625	do	1, 2, 26, 46
466.58750	do	1, 2, 24, 26	466.96250	do	1, 2, 24, 26
466.59375	do	1, 2, 26, 46	466.96875	do	1, 2, 26, 46
466.600	do	1, 2, 26	466.975	do	1, 2, 26
466.60625	do	1, 2, 26, 46	466.98125	do	1, 2, 26, 46
466.61250	do	1, 2, 24, 26	466.98750	do	1, 2, 24, 26
466.61875	do	1, 2, 26, 46	466.99375	do	1, 2, 26, 46
466.625	do	1, 2, 26	467.000	do	1, 2, 26
466.63125	do	1, 2, 26, 46	467.00625	do	1, 2, 26, 46
466.63750	do	1, 2, 24, 26	467.01250	do	1, 2, 24, 26
466.64375	do	1, 2, 26, 46	467.01875	do	1, 2, 26, 46
466.650	do	1, 2, 26	467.025	do	1, 2, 26
466.65625	do	1, 2, 26, 46	467.03125	do	1, 2, 26, 46
466.66250	do	1, 2, 24, 26	467.03750	do	1, 2, 24, 26
466.66875	do	1, 2, 26, 46	467.04375	do	1, 2, 26, 46
466.675	do	1, 2, 26	467.050	do	1, 2, 26
466.68125	do	1, 2, 26, 46	467.05625	do	1, 2, 26, 46
466.68750	do	1, 2, 24, 26	467.06250	do	1, 2, 24, 26
466.69375	do	1, 2, 26, 46	467.06875	do	1, 2, 26, 46
466.700	do	1, 2, 26	467.075	do	1, 2, 26
466.70625	do	1, 2, 26, 46	467.08125	do	1, 2, 26, 46
466.71250	do	1, 2, 24, 26	467.08750	do	1, 2, 24, 26
466.71875	do	1, 2, 26, 46	467.09375	do	1, 2, 26, 46
466.725	do	1, 2, 26	467.100	do	1, 2, 26
466.73125	do	1, 2, 26, 46	467.10625	do	1, 2, 26, 46
466.73750	do	1, 2, 24, 26	467.11250	do	1, 2, 24, 26
466.74375	do	1, 2, 26, 46	467.11875	do	1, 2, 26, 46
466.750	do	1, 2, 26	467.125	do	1, 2, 26
466.75625	do	1, 2, 26, 46	467.13125	do	1, 2, 26, 46
466.76250	do	1, 2, 24, 26	467.13750	do	1, 2, 24, 26
466.76875	do	1, 2, 26, 46	467.14375	do	1, 2, 26, 46

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
467.150	do	1, 2, 26	468.36875	do	1, 2, 26, 46
467.15625	do	1, 2, 26, 46	468.375	do	1, 2, 26
467.16250	do	1, 2, 24, 26	468.38125	do	1, 2, 26, 46
467.16875	do	1, 2, 26, 46	468.38750	do	1, 2, 24, 26
467.175	do	1, 2, 26	468.39375	do	1, 2, 26, 46
467.18125	do	1, 2, 26, 46	468.400	do	1, 2, 26
467.18750	do	1, 2, 24, 26	468.40625	do	1, 2, 26, 46
467.19375	do	1, 2, 26, 46	468.41250	do	1, 2, 24, 26
467.74375	do	1, 2, 26, 46	468.41875	do	1, 2, 26, 46
467.750	do	4, 13, 22, 23	468.425	do	1, 2, 26
467.75625	do	4, 13, 22, 23, 46	468.43125	do	1, 2, 26, 46
467.76250	do	4, 13, 22, 23, 24	468.43750	do	1, 2, 24, 26
467.76875	do	4, 13, 22, 23, 46	468.44375	do	1, 2, 26, 46
467.775	do	4, 13, 22, 23	468.450	do	1, 2, 26
467.78125	do	4, 13, 22, 23, 46	468.45625	do	1, 2, 26, 46
467.78750	do	4, 13, 22, 23, 24	468.46250	do	1, 2, 24, 26
467.79375	do	4, 13, 22, 23, 46	468.46875	do	1, 2, 26, 46
467.800	do	4, 13, 22, 23	468.475	do	1, 2, 26
467.80625	do	4, 13, 22, 23, 46	468.48125	do	1, 2, 26, 46
467.81250	do	4, 13, 22, 23, 24	468.48750	do	1, 2, 24, 26
467.81875	do	4, 13, 22, 23, 46	468.49375	do	1, 2, 26, 46
467.825	do	4, 13, 22, 23	468.500	do	1, 2, 26
467.83125	do	4, 13, 22, 23, 46	468.50625	do	1, 2, 26, 46
467.8375	do	4, 13, 22, 23, 46	468.51250	do	1, 2, 24, 26
467.850	do	4, 13, 22	468.51875	do	1, 2, 26, 46
467.8625	do	50	468.525	do	1, 2, 26
467.875	do	4, 13, 22	468.53125	do	1, 2, 26, 46
467.8875	do	50	468.53750	do	1, 2, 24, 26
467.900	do	4, 13, 22	468.54375	do	1, 2, 26, 46
467.9125	do	50	468.550	do	1, 2, 26
467.925	do	4, 13, 22	468.55625	do	1, 2, 26, 46
467.93125	do	1, 2, 46	468.56250	do	1, 2, 24, 26
467.94375	do	1, 2, 46	468.56875	do	1, 2, 26, 46
468.200	do	1, 2, 26	468.575	do	1, 2, 26
468.20625	do	1, 2, 26, 46	468.58125	do	1, 2, 26, 46
468.21250	do	1, 2, 24, 26	468.58750	do	1, 2, 24, 26
468.21875	do	1, 2, 26, 46	468.59375	do	1, 2, 26, 46
468.225	do	1, 2, 26	468.600	do	1, 2, 26
468.23125	do	1, 2, 26, 46	468.60625	do	1, 2, 26, 46
468.23750	do	1, 2, 24, 26	468.61250	do	1, 2, 24, 26
468.24375	do	1, 2, 26, 46	468.61875	do	1, 2, 26, 46
468.250	do	1, 2, 26	468.625	do	1, 2, 26
468.25625	do	1, 2, 26, 46	468.63125	do	1, 2, 26, 46
468.26250	do	1, 2, 24, 26	468.63750	do	1, 2, 24, 26
468.26875	do	1, 2, 26, 46	468.64375	do	1, 2, 26, 46
468.275	do	1, 2, 26	468.650	do	1, 2, 26
468.28125	do	1, 2, 26, 46	468.65625	do	1, 2, 26, 46
468.28750	do	1, 2, 24, 26	468.66250	do	1, 2, 24, 26
468.29375	do	1, 2, 26, 46	468.66875	do	1, 2, 26, 46
468.300	do	1, 2, 26	468.675	do	1, 2, 26
468.30625	do	1, 2, 26, 46	468.68125	do	1, 2, 26, 46
468.31250	do	1, 2, 24, 26	468.68750	do	1, 2, 24, 26
468.31875	do	1, 2, 26, 46	468.69375	do	1, 2, 26, 46
468.325	do	1, 2, 26	468.700	do	1, 2, 26
468.33125	do	1, 2, 26, 46	468.70625	do	1, 2, 26, 46
468.33750	do	1, 2, 24, 26	468.71250	do	1, 2, 24, 26
468.34375	do	1, 2, 26, 46	468.71875	do	1, 2, 26, 46
468.350	do	1, 2, 26	468.725	do	1, 2, 26
468.35625	do	1, 2, 26, 46	468.73125	do	1, 2, 26, 46
468.36250	do	1, 2, 24, 26	468.73750	do	1, 2, 24, 26

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
468.74375	do	1, 2, 26, 46	469.11875	do	1, 2, 26, 46
468.750	do	1, 2, 26	469.125	do	1, 2, 26
468.75625	do	1, 2, 26, 46	469.13125	do	1, 2, 26, 46
468.76250	do	1, 2, 24, 26	469.13750	do	1, 2, 24, 26
468.76875	do	1, 2, 26, 46	469.14375	do	1, 2, 26, 46
468.775	do	1, 2, 26	469.150	do	1, 2, 26
468.78125	do	1, 2, 26, 46	469.15625	do	1, 2, 26, 46
468.78750	do	1, 2, 24, 26	469.16250	do	1, 2, 24, 26
468.79375	do	1, 2, 26, 46	469.16875	do	1, 2, 26, 46
468.800	do	1, 2, 26	469.175	do	1, 2, 26
468.80625	do	1, 2, 26, 46	469.18125	do	1, 2, 26, 46
468.81250	do	1, 2, 24, 26	469.18750	do	1, 2, 24, 26
468.81875	do	1, 2, 26, 46	469.19375	do	1, 2, 26, 46
468.825	do	1, 2, 26	469.200	do	1, 2, 26
468.83125	do	1, 2, 26, 46	469.20625	do	1, 2, 26, 46
468.83750	do	1, 2, 24, 26	469.21250	do	1, 2, 24, 26
468.84375	do	1, 2, 26, 46	469.21875	do	1, 2, 26, 46
468.850	do	1, 2, 26	469.225	do	1, 2, 26
468.85625	do	1, 2, 26, 46	469.23125	do	1, 2, 26, 46
468.86250	do	1, 2, 24, 26	469.23750	do	1, 2, 24, 26
468.86875	do	1, 2, 26, 46	469.24375	do	1, 2, 26, 46
468.875	do	1, 2, 26	469.250	do	1, 2, 26
468.88125	do	1, 2, 26, 46	469.25625	do	1, 2, 26, 46
468.88750	do	1, 2, 24, 26	469.26250	do	1, 2, 24, 26
468.89375	do	1, 2, 26, 46	469.26875	do	1, 2, 26, 46
468.900	do	1, 2, 26	469.275	do	1, 2, 26
468.90625	do	1, 2, 26, 46	469.28125	do	1, 2, 26, 46
468.91250	do	1, 2, 24, 26	469.28750	do	1, 2, 24, 26
468.91875	do	1, 2, 26, 46	469.29375	do	1, 2, 26, 46
468.925	do	1, 2, 26	469.300	do	1, 2, 26
468.93125	do	1, 2, 26, 46	469.30625	do	1, 2, 26, 46
468.93750	do	1, 2, 24, 26	469.31250	do	1, 2, 24, 26
468.94375	do	1, 2, 26, 46	469.31875	do	1, 2, 26, 46
468.950	do	1, 2, 26	469.325	do	1, 2, 26
468.95625	do	1, 2, 26, 46	469.33125	do	1, 2, 26, 46
468.96250	do	1, 2, 24, 26	469.33750	do	1, 2, 24, 26
468.96875	do	1, 2, 26, 46	469.34375	do	1, 2, 26, 46
468.975	do	1, 2, 26	469.350	do	1, 2, 26
468.98125	do	1, 2, 26, 46	469.35625	do	1, 2, 26, 46
468.98750	do	1, 2, 24, 26	469.36250	do	1, 2, 24, 26
468.99375	do	1, 2, 26, 46	469.36875	do	1, 2, 26, 46
469.000	do	1, 2, 26	469.375	do	1, 2, 26
469.00625	do	1, 2, 26, 46	469.38125	do	1, 2, 26, 46
469.01250	do	1, 2, 24, 26	469.38750	do	1, 2, 24, 26
469.01875	do	1, 2, 26, 46	469.39375	do	1, 2, 26, 46
469.025	do	1, 2, 26	469.400	do	1, 2, 26
469.03125	do	1, 2, 26, 46	469.40625	do	1, 2, 26, 46
469.03750	do	1, 2, 24, 26	469.41250	do	1, 2, 24, 26
469.04375	do	1, 2, 26, 46	469.41875	do	1, 2, 26, 46
469.050	do	1, 2, 26	469.425	do	1, 2, 26
469.05625	do	1, 2, 26, 46	469.43125	do	1, 2, 26, 46
469.06250	do	1, 2, 24, 26	469.43750	do	1, 2, 24, 26
469.06875	do	1, 2, 26, 46	469.44375	do	1, 2, 26, 46
469.075	do	1, 2, 26	469.450	do	1, 2, 26
469.08125	do	1, 2, 26, 46	469.45625	do	1, 2, 26, 46
469.08750	do	1, 2, 24, 26	469.46250	do	1, 2, 24, 26
469.09375	do	1, 2, 26, 46	469.46875	do	1, 2, 26, 46
469.100	do	1, 2, 26	469.475	do	1, 2, 26
469.10625	do	1, 2, 26, 46	469.48125	do	1, 2, 26, 46
469.11250	do	1, 2, 24, 26	469.4875	do	1, 2, 26, 46

Frequency or band	Class of station(s)	Limitations	Frequency or band	Class of station(s)	Limitations
469.500	do	3, 30, 47	469.91250	do	1, 2, 24, 26
469.5125	do	1, 2, 26, 46	469.91875	do	1, 2, 26, 46
469.51875	do	1, 2, 26, 46	469.925	do	1, 2, 26
469.525	do	1, 2, 26	469.93125	do	1, 2, 26, 46
469.53125	do	1, 2, 26, 46	469.93750	do	1, 2, 24, 26
469.5375	do	1, 2, 26, 46	469.94375	do	1, 2, 26, 46
469.550	do	3, 30, 47	469.950	do	1, 2, 26
469.5625	do	1, 2, 26, 46	469.95625	do	1, 2, 26, 46
469.56875	do	1, 2, 26, 46	469.96250	do	1, 2, 24, 26
469.575	do	1, 2, 26	469.96875	do	1, 2, 26, 46
469.58125	do	1, 2, 26, 46	469.975	do	1, 2, 26
469.58750	do	1, 2, 24, 26	469.98125	do	1, 2, 26, 46
469.59375	do	1, 2, 26, 46	470 to 512	Base or mobile	32
469.600	do	1, 26	806 to 821	Mobile	33
469.60625	do	1, 26, 46	851 to 866	Base or mobile	33
469.61250	do	1, 24, 26	896 to 901	Mobile	33
469.61875	do	1, 26, 46	928 and above	Operational fixed	34
469.625	do	1, 26	929-930	Base only	42
469.63125	do	1, 26, 46	935 to 940	Base or mobile	33
469.63750	do	1, 24, 26	1427 to 1435	Operational fixed, base or mobile	21
469.64375	do	1, 26, 46	2450 to 2500	Base or mobile	43
469.650	do	1, 26	10,550 to 10,680*	Base or mobile	
469.65625	do	1, 26, 46			
469.66250	do	1, 24, 26			
469.66875	do	1, 26, 46			
469.675	do	1, 2, 26			
469.68125	do	1, 2, 26, 46			
469.68750	do	1, 2, 24, 26			
469.69375	do	1, 2, 26, 46			
469.700	do	1, 26			
469.70625	do	1, 26, 46			
469.71250	do	1, 24, 26			
469.71875	do	1, 26, 46			
469.725	do	1, 26			
469.73125	do	1, 26, 46			
469.73750	do	1, 24, 26			
469.74375	do	1, 26, 46			
469.750	do	1, 26			
469.75625	do	1, 26, 46			
469.76250	do	1, 24, 26			
469.76875	do	1, 26, 46			
469.775	do	1, 2, 26			
469.78125	do	1, 2, 26, 46			
469.78750	do	1, 2, 24, 26			
469.79375	do	1, 2, 26, 46			
469.800	do	1, 2, 26			
469.80625	do	1, 2, 26, 46			
469.81250	do	1, 2, 24, 26			
469.81875	do	1, 2, 26, 46			
469.825	do	1, 2, 26			
469.83125	do	1, 2, 26, 46			
469.83750	do	1, 2, 24, 26			
469.84375	do	1, 2, 26, 46			
469.8625	do	50			
469.875	do	1, 2, 26			
469.88125	do	1, 2, 26, 46			
469.88750	do	1, 2, 24, 26			
469.89375	do	1, 2, 26, 46			
469.900	do	1, 2, 26			
469.90625	do	1, 2, 26, 46			

*The frequencies in the band 10.55-10.68 GHz are available for Digital Termination Systems and for associated internodal links in the Point-to-Point Microwave Radio Service. No new licenses will be issued under this Subpart but current licenses will be renewed.

(c) * * *

(23) * * *

Mobile Relay (MHz)	Mobile (MHz)
457.525	467.750
457.53125	467.75625
457.5375	467.7625
457.54375	467.76875
457.550	467.775
457.55625	467.78125
457.5625	467.7875
457.56875	467.79375
457.575	467.800
457.58125	467.80625
457.5875	467.8125
457.59375	467.81875
457.600	467.825
457.60625	467.83125
457.6125	
457.61875	

(24) This frequency is not available in the 150-170 MHz band until August 16, 1996. This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz. In the 450-470 MHz band, secondary telemetry operations pursuant to § 90.238(e) will be authorized on this frequency.

* * * * *

(38) [Reserved]

* * * * *

(46) This frequency is not available until August 16, 1996. After August 16, 1996 this frequency will be assigned with an authorized bandwidth not to exceed 6 kHz.

(47) This frequency will be assigned with an authorized bandwidth not to exceed 11.25 kHz.

(48) Assignment of frequencies in this band are subject to the provisions of § 90.173

(49) This frequency will be authorized a channel bandwidth of 25 kHz.

(50) This frequency is available for systems first licensed prior to August 16, 1995. No new systems will be authorized after August 16, 1995, but prior authorized systems may be modified, expanded, and renewed.

(51) Operation on this frequency is limited to a maximum output power of 1 watt; and each station authorized will be classified and licensed as a mobile station. Any units of such a station, however, may provide the operational functions of a base or fixed station on a secondary basis to mobile service operations, Provided, That the separation between the control point and the center of the radiating portion of the antenna of any units so used does not exceed 8 m (25 ft).

* * * * *

(d) * * *

(4) Low power mobile stations of 100 mw or less output power used for one-way, non-voice medical telemetry operations in hospitals or in medical convalescent centers are subject to the provisions of § 90.238.

* * * * *

(e) * * *

(4) Frequencies in the 25-50 MHz, 150-170 MHz, 450-512 MHz and 902-928 MHz bands may be assigned for the operation of Location and Monitoring Service (LMS) systems in accordance with the provisions of subpart M, notwithstanding this limitation.

* * * * *

16. Section 90.79 is amended by replacing the table of frequencies in paragraph (c), replacing limitation (23), and adding limitations (29), (30), and (31) in paragraph (d), and replacing paragraph (f)(3) to read as follows: